# JENSEN-BYRD COMPANY



ESTABLISHED 1808

## WHOLESALE HARDWARE

HARDWARE : IRON : STIEFL

PANTS INDUSTRIAL AND BUILDING SUPPLIES

Sporting Coods: Housewares: Automotive

SPOKANE: WASHINGTON

GENERAL CATALOG No. 51

## JENSEN-BYRD COMPANY

Established



1883

JENSEN-BYRD Co.

Wholesale Distributors of

## GENERAL HARDWARE

IRON, STEEL, MINE & MILL SUPPLIES, HOUSEWARES AND ELECTRICAL APPLIANCES, CUTLERY, PAINT AND BUILDERS HARDWARE, AUTOMOTIVE EQUIPMENT, SPORTING GOODS RADIOS

OFFICE AND SALESROOM
310-324 RIVERSIDE AVE.
P.O. BOX 2172

WAREHOUSES SPOKANE INT. RIGHT OF WAY

Phone - Main 1321

SPOKANE 4 - - - - - WASHINGTON

#### FLASHLIGHT LENS **ASSORTMENTS**

EVEREADY



Centains the following

10 No. 53419 apotlight lenses for Nos. 2251, 2671, 2351 spotlights. 2—No. 53123 spot light lenses for No. 2231 spotlight. 2-No. 53390 searchlight No. 2645

Per assortment No. 102-Assortment, consists of 44 lenses as described above; wt. per assortment 91/2 lbs. ......\$3.70 One assortment in a carton,



Assortment consists of 36 flashlight lenses sizes to fit most populights and all flashlights of recent de-

Per assortment

No. LA-1-Assortment, consists of 36 lenses; wt. per asst. 2 lbs. ....\$2.40

#### One assortment in a carton.

FLASHLIGHT LAMPS EVEREADY







-		5	Ju .	£	3				
Ty	pe G.	Typ	e B	Type TL					
Nos.	Cells	Bulb	Volts	Amps.	Each				
112	1	TL-3	1.1	.92	\$0.11				
222	2	TL-3	2.2	.25	.11				
PR-2	2	B-334	2.4	.50	.15				
PR-3	3	B-334	3.6	.50	.15				
PR-6	2	B-33/9	2.5	.30	.15				
PR-7	3	B-336	3.8	.30	.15				
13	3 ×	G-316	3.8	.30	.11				
14	2	G-336	2.5	30	.11				
233	2	G-316	2.3	.27	.11				
605	5	G-436	6.0	.50	.13				
223	2	FE-3%	2.2	.25	.11				
224	2	TL	2.15	.22	.11				
		I	-						

#### LANTERN LAMPS EVEREADY

Nos.	Cells.	Bulb	Volts	Amps.	Each
14	2	G-31/2	2.5	.30	\$0.11
131	1	G-31/4	1.3	.10	.11
35C	2	G-51/4	2.4	.80	.13
502	1	G-41/2	5.0	.15	.12
27	1	G-41/2	5.0	.30	.15
		Ten in	a box.		

#### FLASHLIGHT LAMP ASSORTMENTS EVEREADY



Complete. easy - to - use display package containing assorted flashlight tamps in types and quantities carefully chosen to maintain maximum turnover and to satisfy cus-

tomers needs.

	Contents of Assorts	nent
uantity	Lamp No.	No. of cells
10	112	1-915
20	222	2-915
10	13	3-950
10	14	2-950
30	PR-2	2-950
10	PR-3	3950
5	PR-4	2-935
5	PR-12	5-950

No. 1120-Assortment, consists of 100 lamps as described above: wt. per assortment 1 lb. .... \$16.00 One assortment in a carton.

#### MINERS' LAMPS GUYS DROPPER

Round Hook



Finest quality reflector, Patented valve of the Sturdy burner type assembly. Brass wing nut lifts out tip holder when unserewed. Highest quality, long lasting, lava tips. Prong lid drains to prevent spouting. Convenient and easily twee a steady brilliant.

detached wire brace. Gives a steady brilliant No. 225-2% in. reflector, 4 in. high;

wt. each 1/2 lb. .....\$2.40 One in a carton.

#### RIG ROY



A superior lamp made of heavy sheet brass with chromium plated reflector, reflector.
Steel parts hot tinned to prevent rusting. Will outlast two ordinary lamps of similar type.
Flat type hook with extra hanging hook.
Burns eight hours on one charge of carbide and water.

Each

No. 808-31/2 in. reflector, 6 in. h i g h, 3 i n. diam.; wt. each 2 lbs. .....\$6.00 One in a carton.

#### MINERS' LAMPS AUTO-LITE



Round Hook

Best quality solid brass. Durable chromium plated reflector. Positive non-clog-ging ball dropper. Rubber cushioned bumper grip. Hex tip and wing nut for easy removal of imported lava tip or reflector. Prong lid drains to prevent spout-ing. Easily detached wire brace. Steady brilliant flame always.

Twelve in a carton.



Flat Hook

Best quality solid brass. Durabie chromium plated reflector Posttive non-clogging ball dropper. Rubber cushioned bumper grip. Hex tip and wing nut for easy removal of imported

lava tip or reflector. Prong lid drains to prevent water spouting. Easily detached wire brace. Steady brilliant flame always.

Twelve in a carton.



Flat Hook

Finest quality solid brass, polished and lacquered; strong chromium Patented valve cleaner. Sturdy burner type assembly. Convenient and easily detached wire brace. Brass wing nut

lifts out tip holder when unscrewed. Highest quality, long lasting, lava tips. Prong lid drains to prevent spouting. Gives a steady, brilliant flame always. Standard flat hook.

No. 525-2% in. reflector, 4 in. high; wt. each 1/2 lb. .....\$2.40

One in a carton.

#### JENSEN-BYRD COMPANY

#### LAMP CARBIDE



Union Carbide is especially selected and perfectly adapted for use in carbide lamps. Because of its high gas yield, special section, uniform size, freedom from dust and its uniform quality, is the most considered and satisfactory carbide for use, in miners' lamps. Standard "half-linch"

th Compression Top Cans	
ize can, lbs.	10
er can	3.00
ize drum, lbs. 25 50	100
er drum \$5.50 8 10	15 70

 GENERATOR SIZE
 Per drum

 34x75 − 100 lb. drum
 .\$14.20

 134x36 − 100 lb. drum
 14.20

 14ND − 100 lb. drum
 . 14.20

## CARBIC CAKES



A selected high grade calcium carbide specially processed and treated and compressed into briquette form for use in carbic flood lights. Individually wrapped in wax paper.

Will keep indefinitely in the original package.

Per drum

Forty cakes in a drum.

### CARBIDE CANS



Made of light steel, tin coated, ribbed and double seamed. Sliding cover, air tight. Concaved to fit the boot or hip pocket, Holds full day's supply.

## REPAIR PARTS FOR MINERS'



Reflectors
Potished nickel, with ghter.

#### Chrome Plated



	Nº175	Nº172	
No. No. No.	177—Lighter e 173—Spring . 174—Screw er 175—Wheel . 176—Fork and 172—Flint	nut	 .05 .05 .075

Windproof







	00	***									E	ac	h
			Packing										
No.	60-	Rubb	er Gasl	cet		-							
No.	53-	Felt	Holder									6	5
No.	64-	Felt	Holder									H	0
			Open	ste	ic	É			B	ř			

## MINERS' LAMP TIP



## MINERS' LAMP REAMERS



### MINERS' LAMP BURNER TIPS



Removable from lamp. Brass with lava center.

## MINERS' CAPS



Heavy weight brown canvas; lined visor made of heavy material and covered with black glazed oil cloth. Not affected by water or dampness. Lamp holder constructed of heavy tin,

interlined with vulcanized fibre.